

BAE Secura OGi-N6/N7 Block

1.75 VPC

DISCHARGE RATINGS IN AMPS @ 77°F (25°C)

Battery	1'	15'	30'	1 h	2 h	3 h	4 h	5 h	6 h	8 h	10 h	12 h
12V 1 OGi 25-N6/N7	94	46.2	30.4	18.8	11.1	8.2	6.5	5.5	4.8	3.8	3.1	2.6
12V 2 OGi 50-N6/N7	176.4	85.4	54.9	36.4	22.7	16.5	13.2	11.1	9.6	7.7	6.3	5.3
12V 3 OGi 75-N6/N7	244.7	121.8	78.1	50.6	30.9	22.1	17.7	14.8	12.8	10.3	8.9	7.4
12V 4 OGi 100-N6/N7	314.0	157.5	102.3	65.2	39.2	28.0	22.2	18.5	16.0	12.8	11.2	9.2
12V 5 OGi 125-N6/N7	394.8	203.7	133.4	84.0	50.1	35.6	28.3	23.5	20.3	16.3	13.5	11.3
12V 6 OGi 150-N6/N7	465.2	241.5	158.6	99.0	58.6	41.6	33.0	27.3	23.6	18.8	15.6	13.1
6V 4 OGi 100-N6/N7	314.0	157.5	102.3	65.2	39.2	28.0	22.2	18.5	16.0	12.8	11.2	9.2
6V 6 OGi 150-N6/N7	465.2	241.5	158.6	99.0	58.6	41.6	33.0	27.3	23.6	18.8	15.6	13.1
6V 7 OGi 175-N6/N7	483.0	254.1	165.9	111.3	68.9	49.6	39.6	33.1	28.6	23.0	20.2	16.7
6V 8 OGi 200-N6/N7	541.8	286.7	188.0	126.0	77.0	55.3	44.1	36.8	31.8	25.4	22.4	18.6
6V 9 OGi 225-N6/N7	630.0	339.2	223.7	148.1	90.9	65.3	52.0	43.5	37.6	30.3	25.0	21.2
6V 10 OGi 250-N6/N7	686.7	372.8	245.7	162.8	99.0	71.0	56.4	47.1	40.7	32.8	27.1	22.8
6V 11 OGi 275-N6/N7	744.5	405.3	268.8	176.4	107.1	76.6	60.9	50.7	43.9	35.1	29.1	24.6
6V 12 OGi 300-N6/N7	802.2	438.9	291.9	191.1	115.5	82.3	65.3	54.3	47.0	37.6	31.2	26.3



BAE Secura OGi-N6/N7 Block

1.81 VPC

DISCHARGE RATINGS IN AMPS @ 77°F (25°C)

Battery	1'	15'	30'	1 h	2 h	3 h	4 h	5 h	6 h	8 h	10 h	12 h
12V 1 OGi 25-N6/N7	72.1	40.2	27.6	17.7	10.8	8	6.4	5.4	4.7	3.7	3.1	2.6
12V 2 OGi 50-N6/N7	149.4	61.1	41.5	26.3	15.9	12.9	10.9	9.4	7.6	7.5	6.2	5.3
12V 3 OGi 75-N6/N7	217.6	84.5	56.5	35.3	21.2	17.1	14.3	12.4	10.0	11.9	8.5	7.4
12V 4 OGi 100-N6/N7	279.3	110.4	72.5	44.6	26.7	21.3	17.9	15.4	12.3	12.9	10.6	9.1
12V 5 OGi 125-N6/N7	361.7	143.2	93.1	57.0	34.0	27.2	22.7	19.6	15.6	17.8	13.0	11.8
12V 6 OGi 150-N6/N7	423.9	170.1	109.5	66.5	39.7	31.6	26.3	22.7	18.1	21.7	15.0	13.2
6V 4 OGi 100-N6/N7	279.3	110.4	72.5	44.6	26.7	21.3	17.9	15.4	12.3	22.1	10.6	9.1
6V 6 OGi 150-N6/N7	423.9	170.1	109.5	66.5	39.7	31.6	26.3	22.7	18.1	10.4	15.0	13.2
6V 7 OGi 175-N6/N7	434.3	179.7	124.0	78.4	47.4	38.1	32.0	27.7	22.2	14.8	19.1	16.7
6V 8 OGi 200-N6/N7	465.2	203.5	139.5	87.4	52.9	42.4	35.5	30.7	24.6	18.3	21.2	18.7
6V 9 OGi 225-N6/N7	553.5	240.9	164.8	103.5	62.4	50.0	42.0	36.3	29.2	20.1	24.1	21.1
6V 10 OGi 250-N6/N7	604.4	264.6	180.4	112.5	67.7	54.2	45.5	39.3	31.5	24.7	26.0	23.0
6V 11 OGi 275-N6/N7	656.5	288.9	195.5	121.5	73.0	58.4	48.9	42.3	33.7	28.5	28.0	25.0
6V 12 OGi 300-N6/N7	708.6	314.0	211.1	130.6	78.4	62.6	52.4	45.3	36.1	32.3	29.9	26.9

