

BAE *Secura OGiV Block*

1.75 VPC

DISCHARGE RATINGS IN AMPS @ 77°F (25°C)

Battery Model	1'	15'	30'	1 h	2 h	3 h	4 h	5 h	8 h	10 h	12 h
12V 1 OGiV 25-N7	87	47	31	19	10.9	7.6	5.7	4.7	3.2	2.6	2.2
12V 2 OGiV 50-N7	174	95	62	37	22	15	11	9	6.3	5.1	4.3
12V 3 OGiV 75-N7	261	142	92	56	33	23	17	14	9.4	7.7	6.5
12V 4 OGiV 100-N7	349	190	123	75	44	31	23	19	12.5	10.3	8.6
12V 5 OGiV 125-N7	421	234	153	93	54	37	29	24	15.7	12.8	10.8
12V 6 OGiV 150-N7	495	280	183	111	65	45	35	28	18.8	15.4	12.9
6V 7 OGiV 175-N7	569	323	213	128	74	51	40	33	21.9	17.9	15.0
6V 8 OGiV 200-N7	641	369	244	146	86	59	46	38	25.0	20.5	17.2
6V 9 OGiV 225-N7	678	397	267	164	94	67	52	43	28.2	23.1	19.4
6V 10 OGiV 250-N7	715	421	289	183	105	75	58	47	31.3	25.6	21.5
6V 11 OGiV 275-N7	752	446	312	202	114	83	63	52	34.4	28.2	23.7
6V 12 OGiV 300-N7	789	472	333	220	124	92	69	57	37.5	30.8	25.9



BAE Secura OGiV Block

1.81 VPC

DISCHARGE RATINGS IN AMPS @ 77°F (25°C)

Battery Model	1'	15'	30'	1 h	2 h	3 h	4 h	5 h	8 h	10 h	12 h
12V 1 OGiV 25-N7	61	42	29	18	10.5	7.5	5.6	4.6	3.1	2.6	2.1
12V 2 OGiV 50-N7	122	84	57	35	21	15	11	9	6.2	5.1	4.2
12V 3 OGiV 75-N7	184	125	85	53	32	22	17	14	9.3	7.7	6.4
12V 4 OGiV 100-N7	245	167	114	71	42	30	22	18	12.4	10.3	8.5
12V 5 OGiV 125-N7	293	202	140	89	52	36	28	23	15.5	12.7	10.6
12V 6 OGiV 150-N7	341	239	167	107	62	44	34	28	18.5	15.3	12.7
6V 7 OGiV 175-N7	389	274	194	124	71	50	39	32	21.6	17.8	14.8
6V 8 OGiV 200-N7	435	311	221	141	82	57	45	37	24.7	20.4	16.9
6V 9 OGiV 225-N7	472	341	244	157	91	65	51	42	27.8	23.0	19.0
6V 10 OGiV 250-N7	509	370	265	172	101	73	56	46	30.9	25.5	21.2
6V 11 OGiV 275-N7	544	399	287	188	110	80	62	51	34.0	28.1	23.3
6V 12 OGiV 300-N7	586	429	308	204	120	88	68	56	37.1	30.6	25.4

