

BAE Secura OGi-N6/N7 Block

1.75 VPC

DISCHARGE RATINGS IN AMPS @ 77°F (25°C)

Battery	1'	15'	30'	1 h	2 h	3 h	4 h	5 h	6 h	8 h	10 h	12 h
12V 1 OGi 25-N6/N7	94.0	46.2	30.4	18.8	11.1	8.2	6.5	5.5	4.8	3.8	3.1	2.6
12V 2 OGi 50-N6/N7	176.4	85.4	54.9	36.4	22.7	16.5	13.2	11.1	9.6	7.7	6.3	5.3
12V 3 OGi 75-N6/N7	244.7	121.8	78.1	50.6	30.9	22.1	17.7	14.8	12.8	10.3	8.9	7.4
12V 4 OGi 100-N6/N7	314.0	157.5	102.3	65.2	39.2	28.0	22.2	18.5	16.0	12.8	11.2	9.2
12V 5 OGi 125-N6/N7	394.8	203.7	133.4	84.0	50.1	35.6	28.3	23.5	20.3	16.3	13.5	11.3
12V 6 OGi 150-N6/N7	465.2	241.5	158.6	99.0	58.6	41.6	33.0	27.3	23.6	18.8	15.6	13.1
6V 4 OGi 100-N6/N7	314.0	157.5	102.3	65.2	39.2	28.0	22.2	18.5	16.0	12.8	11.2	9.2
6V 6 OGi 150-N6/N7	465.2	241.5	158.6	99.0	58.6	41.6	33.0	27.3	23.6	18.8	15.6	13.1
6V 7 OGi 175-N6/N7	483.0	254.1	165.9	111.3	68.9	49.6	39.6	33.1	28.6	23.0	20.2	16.7
6V 8 OGi 200-N6/N7	541.8	286.7	188.0	126.0	77.0	55.3	44.1	36.8	31.8	25.4	22.4	18.6
6V 9 OGi 225-N6/N7	630.0	339.2	223.7	148.1	90.9	65.3	52.0	43.5	37.6	30.3	25.0	21.2
6V 10 OGi 250-N6/N7	686.7	372.8	245.7	162.8	99.0	71.0	56.4	47.1	40.7	32.8	27.1	22.8
6V 11 OGi 275-N6/N7	744.5	405.3	268.8	176.4	107.1	76.6	60.9	50.7	43.9	35.1	29.1	24.6
6V 12 OGi 300-N6/N7	802.2	438.9	291.9	191.1	115.5	82.3	65.3	54.3	47.0	37.6	31.2	26.3



BAE *Secura OGi-N6/N7 Block*

1.81 VPC

DISCHARGE RATINGS IN AMPS @ 77°F (25°C)

Battery	1'	15'	30'	1 h	2 h	3 h	4 h	5 h	6 h	8 h	10 h	12 h
12V 1 OGi 25-N6/N7	69.6	39.4	27.2	17.5	10.7	7.9	6.4	5.4	4.7	3.7	3.1	2.6
12V 2 OGi 50-N6/N7	146.3	77.4	52.4	35.4	22.2	16.2	13.1	11.0	9.6	7.6	6.3	5.3
12V 3 OGi 75-N6/N7	198.1	108.4	72.9	48.3	30.0	21.6	17.4	14.5	12.6	10.1	8.6	7.4
12V 4 OGi 100-N6/N7	252.4	139.3	95.3	62.1	38.0	27.3	21.8	18.2	15.8	12.6	10.7	9.2
12V 5 OGi 125-N6/N7	324.5	182.7	123.9	79.9	48.5	34.8	27.7	23.2	20.1	16.0	13.2	11.3
12V 6 OGi 150-N6/N7	348.3	216.3	147.4	94.1	56.7	40.6	32.2	26.9	23.3	18.5	15.4	13.1
6V 4 OGi 100-N6/N7	252.4	139.3	95.3	62.1	38.0	27.3	21.8	18.2	15.8	12.6	10.7	9.2
6V 6 OGi 150-N6/N7	348.3	216.3	147.4	94.1	56.7	40.6	32.2	26.9	23.3	18.5	15.4	13.1
6V 7 OGi 175-N6/N7	369.6	225.1	155.8	106.7	66.9	48.5	38.9	32.7	28.2	22.8	19.5	16.6
6V 8 OGi 200-N6/N7	401.5	253.4	176.4	120.1	74.7	54.2	43.3	36.3	31.3	25.1	21.6	18.3
6V 9 OGi 225-N6/N7	480.6	304.5	209.3	141.8	88.3	63.8	51.1	42.9	37.1	29.8	24.7	21.0
6V 10 OGi 250-N6/N7	521.9	333.6	230.3	154.7	96.0	69.3	55.4	46.4	40.2	32.2	26.7	22.7
6V 11 OGi 275-N6/N7	563.2	363.0	251.7	168.0	103.9	74.8	59.8	50.0	43.2	34.6	28.7	24.4
6V 12 OGi 300-N6/N7	605.2	391.7	273.0	181.3	111.3	80.4	64.0	53.6	46.3	36.9	30.7	26.2

