

1.75 VPC

DISCHARGE RATINGS IN AMPS @ 77°F (25°C)

Battery Model	1'	30'	1 h	2 h	3 h	4 h	5 h	6 h	8 h	10 h	12 h	24 h
2 OPzV 100	190	91	64	43	31	25	22	19	15	12	11	6
3 OPzV 150	269	137	96	64	47	38	32	28	22	18	16	9
4 OPzV 200	342	183	128	85	63	51	43	37	29	24	21	12
5 OPzV 250	408	225	161	106	78	64	54	46	37	30	27	15
6 OPzV 300	468	272	192	127	94	76	64	56	44	37	32	18
5 OPzV 350	429	293	214	144	108	89	75	66	52	44	40	22
6 OPzV 420	491	352	257	173	130	106	91	78	63	53	47	26
7 OPzV 490	547	410	300	202	151	124	105	92	73	62	54	30
6 OPzV 600	610	484	358	248	188	154	130	113	90	75	65	36
7 OPzV 700	800	564	418	289	219	179	151	132	105	87	76	43
8 OPzV 800	895	645	478	331	250	205	173	150	120	100	86	48
9 OPzV 900	1022	726	538	371	281	230	195	170	134	112	98	54
10 OPzV 1000	1166	806	598	413	312	255	216	189	149	125	107	60
11 OPzV 1100	1174	887	657	454	344	281	238	207	164	137	118	66
12 OPzV 1200	1306	967	717	496	375	307	260	226	179	149	128	71
11 OPzV 1375	1212	937	710	494	379	312	268	236	192	162	140	77
12 OPzV 1500	1347	1022	775	539	413	341	293	258	209	177	152	83
13 OPzV 1625	1613	1107	839	584	447	370	317	279	226	192	168	93
14 OPzV 1750	1698	1192	904	628	481	398	342	300	243	206	184	101
15 OPzV 1875	1780	1277	969	673	516	427	366	322	261	221	192	105
16 OPzV 2000	1863	1362	1033	718	550	455	390	343	278	236	204	112
17 OPzV 2125	2080	1447	1098	763	585	483	415	364	296	250	220	121
18 OPzV 2250	2212	1532	1162	808	619	512	439	386	313	265	232	127
19 OPzV 2375	2253	1617	1227	853	654	540	464	407	331	280	243	133
20 OPzV 2500	2482	1702	1292	898	688	569	488	429	348	295	255	140
22 OPzV 2750	2637	1872	1421	988	756	626	536	472	382	324	285	156
24 OPzV 3000	2788	2042	1550	1077	825	683	585	515	417	353	308	169
26 OPzV 3250	2935	2212	1679	1167	894	740	634	558	452	383	323	176



1.81 VPC

DISCHARGE RATINGS IN AMPS @ 77°F (25°C)

Battery Model	1'	30'	1 h	2 h	3 h	4 h	5 h	6 h	8 h	10 h	12 h	24 h
2 OPzV 100	151	78	57	39	29	23	20	18	14	12	11	6
3 OPzV 150	213	118	85	58	43	35	30	26	21	17	16	9
4 OPzV 200	271	157	114	77	58	47	40	35	28	23	21	12
5 OPzV 250	324	194	142	96	72	59	50	43	35	29	26	15
6 OPzV 300	371	234	170	115	86	70	60	52	42	35	31	18
5 OPzV 350	341	247	187	130	99	82	70	62	49	42	39	22
6 OPzV 420	391	297	224	156	119	98	84	73	59	50	46	26
7 OPzV 490	436	345	262	182	139	115	98	86	69	58	53	29
6 OPzV 600	486	382	310	220	169	140	119	105	84	70	63	35
7 OPzV 700	637	445	362	256	197	163	139	122	98	82	74	42
8 OPzV 800	712	509	414	293	225	186	159	139	112	94	84	47
9 OPzV 900	813	573	465	329	253	209	179	157	125	105	95	53
10 OPzV 1000	928	636	517	366	281	232	198	175	139	117	104	59
11 OPzV 1100	935	699	568	402	310	256	218	191	153	129	115	64
12 OPzV 1200	1040	763	620	439	338	279	238	209	167	140	125	70
11 OPzV 1375	967	749	602	435	341	285	246	217	176	148	136	75
12 OPzV 1500	1075	817	657	475	372	311	268	237	192	162	147	81
13 OPzV 1625	1286	885	705	515	403	337	291	256	208	176	163	91
14 OPzV 1750	1354	953	759	554	434	363	313	276	224	189	178	99
15 OPzV 1875	1419	1021	814	594	465	389	335	295	240	202	186	103
16 OPzV 2000	1486	1089	867	633	496	415	358	315	256	216	197	109
17 OPzV 2125	1658	1157	922	673	527	440	380	335	272	229	213	118
18 OPzV 2250	1763	1225	976	712	558	467	402	355	287	243	225	124
19 OPzV 2375	1797	1293	1030	752	589	492	425	374	304	256	235	130
20 OPzV 2500	1978	1361	1085	792	620	519	447	394	320	270	247	136
22 OPzV 2750	2103	1497	1193	871	681	570	491	433	351	296	276	152
24 OPzV 3000	2224	1633	1301	950	743	622	536	473	383	323	298	165
26 OPzV 3250	2342	1769	1410	1029	805	674	581	512	415	350	313	172



1.85 VPC

DISCHARGE RATINGS IN AMPS @ 77°F (25°C)

Battery Model	1'	30'	1 h	2 h	3 h	4 h	5 h	6 h	8 h	10 h	12 h	24 h
2 OPzV 100	124	71	53	36	27	22	19	17	13	11	10	6
3 OPzV 150	176	106	79	54	41	33	29	25	20	17	16	9
4 OPzV 200	224	142	105	71	55	44	38	33	27	23	21	11
5 OPzV 250	267	178	131	89	68	56	47	41	33	28	26	14
6 OPzV 300	307	213	159	108	81	67	57	49	40	34	31	17
5 OPzV 350	281	216	170	122	95	78	67	59	48	40	38	21
6 OPzV 420	323	259	204	146	113	94	80	71	57	48	45	25
7 OPzV 490	360	302	237	170	132	110	95	82	67	56	52	29
6 OPzV 600	403	325	280	204	159	132	113	100	81	68	62	35
7 OPzV 700	526	379	327	237	185	154	132	117	95	80	74	41
8 OPzV 800	589	433	374	271	211	176	151	134	108	91	83	47
9 OPzV 900	672	487	421	305	237	198	171	150	121	102	94	53
10 OPzV 1000	767	541	467	339	264	220	190	167	135	113	103	58
11 OPzV 1100	774	594	514	373	291	243	209	183	148	125	113	64
12 OPzV 1200	861	648	561	406	317	265	228	200	162	136	123	69
11 OPzV 1375	803	606	533	401	322	273	236	208	168	141	134	75
12 OPzV 1500	893	662	582	438	351	298	258	227	183	154	145	81
13 OPzV 1625	1066	706	608	474	381	322	279	246	198	167	161	90
14 OPzV 1750	1123	761	655	511	410	347	300	265	214	179	176	98
15 OPzV 1875	1177	815	702	547	439	372	322	284	229	192	184	102
16 OPzV 2000	1233	869	749	584	469	397	343	303	244	205	195	108
17 OPzV 2125	1375	925	796	620	498	421	364	321	259	218	210	117
18 OPzV 2250	1462	979	843	657	527	446	386	340	274	231	222	123
19 OPzV 2375	1491	1033	890	693	557	471	407	359	290	244	233	129
20 OPzV 2500	1640	1088	937	730	586	495	429	378	305	257	244	135
22 OPzV 2750	1744	1196	1030	803	645	545	472	415	336	281	272	151
24 OPzV 3000	1846	1305	1124	876	704	594	515	453	367	307	294	163
26 OPzV 3250	1944	1414	1217	949	762	644	558	491	397	332	309	171

